## **DIVISION 10 - SPECIALTIES**

# SECTION 10 14 01 - EXTERIOR SITE SIGNAGE

### **PART 1: GENERAL**

## 1.01 Scope of Standard

- A. This standard provides general guidance concerning the specific preferences of Texas State University for signage designed and configured for exterior site installation.
- B. Texas State University recognizes that project conditions and requirements vary, thus precluding the absolute adherence to the items identified herein in all cases. However, unless there is adequate written justification, it is expected that these guidelines will govern the design and specifications for Texas State University projects.

## 1.02 Design Guidelines

- A. Building Identification Signs:
  - 1. Each new building requires a Building Identification Sign which conforms to Texas Sate Sign Standards. The exterior site signage will be a part of the construction contract.
  - Reference Standards: Vendor to provide signs that comply with the Texas State University
    design and specifications intent of the exterior signage as maintained in Texas State
    University Facilities Department.
    - a. EXHIBIT 1: Building Name Sign for Small Scale.
    - b. EXHIBIT 2: Building Name Sign for Large Scale.
    - c. EXHIBIT 3: Sherwin-Williams Custom Paint Codes
  - 3. If required, the contractor shall provide signs which comply with the Americans with Disabilities Act Accessibility Guidelines (ADAAG).
  - 4. Submittals: Full shop drawing of each sign type must be submitted to Texas State University for approval.
    - a. One full size mock-up of a typical sign must be submitted for quality of construction approval by Texas State University.
    - b. The mock up can be used for installation, once all wording is approved.
- B. Regulatory Site Signs (stop, no parking, accessible parking)
  - 1. No construction Standards have been developed for these signs. A/E to select and submit for approval.
  - 2. Support poles and backs of regulatory signs are to be painted Sherwin Williams SW 6258 "Tricorn Black", semi-gloss finish.

- a. All poles (except Stop Signs): Place 12" high, yellow reflective tape completely around pole, starting 48" off pavement.
- b. Stop Sign Poles ONLY: Place 12" high red reflective tape completely around pole, starting at 48" off pavement.

#### **PART 2: PRODUCTS**

## 1.03 Building Identification Signs

- A. Manufacturers are subject to compliance with these requirements.
- B. Asbestos and PCB Certification: After completion of installation, but prior to Substantial Completion, Contractor shall certify in writing that products and materials installed, and processes used, do not contain asbestos or polychlorinated biphenyis (PCB).

## **PART 3: EXECUTION**

- A. Installation of Exterior Site Post-Mounted Signs foundation and anchoring plates to conform to latest Texas State University anchoring system as specified by the Facilities Department.
- B. Contract drawings and specifications shall contain details and specifications for signs and anchorage installation methods.
- C. Perform signage and graphics work in accordance with approved shop drawings and Contract Documents.
- D. The completed signage and graphics work shall be square, level, uniform, clean, free or scratches, nicks, discoloration and other conditions which affect the appearance and performance.
- E. Use materials and cleaning method recommended by materials manufacturer.
- F. Do not use acids, cleaning compounds, wire brushes and other type of abrasives.

Building Name Signs for Smaller Scale. (37.5 W x 72" H) Exhibit 1: **COLOR SPECIFICATIONS** 37 1/2"-POST FINISH: MATTHEWS ACRYLIC POLYURETHANE - 28 1/2"-8 <sup>3</sup>/<sub>4</sub>" X 26 <sup>1</sup>/<sub>2</sub>" DECAL POST COLOR: TO MATCH (Sherwin-Williams) TX STATE SIGN BRONZE 2" FRAME & FACE FINISH: MATTHEWS ACRYLIC POLYURETHANE TEXAS STATE UNIVERSITY FRAME COLOR:
TO MATCH (Sherwin-Williams) TX STATE SIGN BURGUNDY REVEAL COLOR: TO MATCH (Sherwin Williams) TX STATE SIGN TAN LOGO & LETTER COLOR: 3M 220-49 BEIGE **Edward Gary** 3 1/2" \_\_\_\_ 13/64" Street 3 1/2" \_\_\_\_ 1 1/4" Garage 48" 3 1/2" 72" TOBACCO FREE 1" 2 1/2" 2 ½" 1½" 405 N. Edward Gary .5" REVEL .5" INSET 4" X 4" SQUARE POSTS 8" X 8" X .5" BASE PLATES (1) ID2 SIGN TO BE BUILT AS PER SIGNAGE GRAPHIC STANDARDS.

(1) ID2 SIGN TO BE BUILT AS PER SIGNAGE GRAPHIC STANDARDS.
SIGNS TO HAVE VERBIAGE ON ONE SIDE AS PER DRAWINGS (LOGO ON BOTH SIDES).
SIGNS TO BE INSTALLED BY OTHERS. CONCRETE FOOTINGS TO BE DONE BY OTHERS.






EXHIBIT 3: Sherwin-Williams Custom Paint Codes

| SHERWIN-WILLIAMS 7054 10/13/17<br>512-392-0101 0rder# 0191792   | SHERWIN-WILLIAMS 7054 10/13/17<br>512-392-0101 0rder# 0191792  | SHERWIN-WILLIAMS 7054 10/17/17<br>512-392-0101 0rder# 0191970                                    |
|---|--|--|
| INT/EXT IND MAINT PART 1 DIRECT TO METAL ALKYD SEMI-GLOSS STANDALONE TX STATE SIGN BRONZE CUSTOM MANUAL MATCH           | EXTERIOR PROFESSIONAL SHER-KEM ENAMEL HIGH GLOSS STANDALONE TX STATE SIGN BURGUNDY CUSTOM MANUAL MATCH | INT/EXT IND MAINT INDUSTRIAL ENAMEL ALKYD GLOSS STANDALONE TX STATE SIGN TAN CUSTOM MANUAL MATCH |
| BAC COLORANT OZ 32 64 128 W1-White - 44 1 1 B1-Black 4 40 G2-New Green - 1 - 1 R2-Maroon - 13 - 1 Y3-Deep Gold - 44 - 1 | BAC COLORANT OZ 32 64 128 B1-Black - 59 1 1 N1-Raw Umber - 1 1 R3-Magenta - 11 - 1 R4-New Red 6 52 1 - | BAC COLORANT OZ 32 64 128 N1-Raw Umber - 34 1 - Y3-Deep Gold - 18 - 1  ONE GALLON PURE WHITE     |
| ONE GALLON ULTRADEEP<br>B55T00104 1360064   | ONE GALLON ULTRADEEP<br>F75CC0002 601649379  | B54W00101 790799993  |


# **Double Pole Sign Foundation**






# **Notes**

- 5" conc. base
- All  $\frac{3}{8}$ " Ø Rebar
- 14" 16" turn-downs @ each end
- Simpson Strong Tie Anchor Sys  $\frac{3}{8}$ " x 4" for 6' signs





END OF SECTION 10 14 01